

## PRODUCT LINE BROCHURE

### PRODUCTS

#### Gas Feeders

- Model VR4 – Chlorinator, up to 100 PPD Max Capacity
- Model VR3 Vacuum Regulator, up to 500 PPD Max Capacity
- Model SR9 – Chlorinator (Automatic Switchover), up to 500 Max Capacity
- Model VR6 – Chlorinator, up to 500 PPD Max Capacity



#### Chemical Feed Components

- Remote Meter Panels in the following capacities: 0-4 GPD, 0-10 GPD, & 0-20 GPD (Vacuum Service)

#### Chlorine Dioxide Solution

- Available in a variety of containers from 5 gallon pails to 265 gallon totes.



#### Mineral Oil / Lubricant

- Available in 5 Gallon Pails & 55 Gallon Drums



#### Chemical / Air Induction System

- Mega – SWEET (Submersible Wastewater Efficient Effluent Treatment) system.
- ¾ & 1 Hp - for capacities of 650 PPD or less
- 5Hp for capacities up to 4000 PPD

# PRODUCT LINE BROCHURE

## PRODUCTS

### Chlorine Tablets & Feeders

- Gravity Flow tablet feeders
- Chlorine and Dechlorination Tablets in a variety of sizes



### Chemical Liquid Feeders

- Peristaltic, diaphragm-type, and pump packages



### Chemical Scales

- Hydraulic or electronic scales for 150 lb cylinders, ton containers
- Multi-ton scales, Carboy, IBC Tote, Day Tank, Drum, & Mechanical Scales



### Fiberglass Shelters

- Corrosion resistant, lightweight, and easy to install.
- Standard sizes ranging from 28" x 54" to 12' x 12'.
- Custom sizes available

### Emergency Shut-off Valves

- For use with 150 lb cylinders or ton containers



### Chlori-Flush

- Water line disinfection system (for flushing water distribution lines)
- Used for chlorination and/or de-chlorination



## PRODUCT LINE BROCHURE

### INSTRUMENTATION



#### Chlorine Analyzers

Two Models to choose from:

- Model ADS-RA-1000 For Drinking Water or Wastewater Applications
- Model CRA-7 For Drinking Water Applications



#### Gas Leak Detectors

- For Chlorine, Sulfur Dioxide & Other Gases
- Can accommodate up to 4 sensors
- Four assignable analog 4-20mA Outputs



#### Automatic Control Valve

- For Chlorine, Sulfur Dioxide & Other Gases
- Seven User-selectable Control Modes
- 4-Line, 80 character display, Simple User interface
- Two 4-20mA Outputs and Modbus Output



#### Ultrasonic Flow Meter

- Simple menu-driven programming
- Large, backlit LCD Graphics Display
- 4-20mA and relay outputs
- Submersible sensor with temperature compensation



#### Vacuum Monitor

- Three digit digital visual readout (displayed in inches of Hg (Mercury))
- High & Low alarms
- LED Status Indicators
- Analog Output

## PRODUCT LINE BROCHURE

### ACCESSORIES

#### Corporation Stops

Available in sizes ranging from ¾" to 1 ½"




#### Main Connects (Quills)

Available in ½", ¾" & 1"



#### Check Valves

Chemical & Water Check Valves



#### Chemical Injection Accessories

- Diaphragm protected pressure gauge, calibration cylinder, back pressure valve, pressure relief valve, pulsation dampeners, injection quills



#### Manifolds & Accessories

- Universal ton adapter, Drip leg heaters, isolation valve assembly, open yoke adapter, Split yoke adapter, flex connector, lead gasket, chlorine gas filter, pressure gauge, vacuum gauge



#### Water Flow Accessories

- Plastic water inlet assembly, Y-Strainer, Check Valves, Diaphragm protected pressure gauge, brass & plastic solenoid valve, sediment water filter



#### SCBA

- 30 Minute SCBA, carrying cases, storage cabinets



#### Emergency Test Kits

- A Kit – for use with 150 lb Cylinders
- B Kit – for use with Ton Containers