

Scales

Safe and reliable solutions for weighing chemicals

Cylinder Scales

Hydraulic Cylinder Scales

4D Series



- 150 lb Cylinder Scale
- Available in Single or Dual
- Safely monitor the amount of chemicals used and the amount remaining
- Prevent under and overfeeding
- No power required
- Chlorine, Sulfur Dioxide and Ammonia Cylinders

Electronic Cylinder Scales

GR Series



- 150 lb Cylinder Scale
- Single or Dual
- 5 year warranty
- Safely monitor the amount of chemicals used and the amount remaining
- SOLO G2 Indicator allows up to 2 channels
- 4-20mA Output
- NEMA 4X Enclosure
- Chlorine, Sulfur Dioxide & Ammonia cylinders

Ton Scales

Hydraulic Ton Scales

6D, 8D, & 12D Series



- Safely track Chlorine usage and tank levels
- Warn of dangerous overfeed conditions
- Prevent system from running empty
- Optional 4-20mA remote monitoring reduces operator exposure to Chlorine
- Built-in roller trunnions allows for easy rotation

Electronic Ton Scales

DR Series




- Built-in roller trunnions for easy rotation
- 4-20mA Outputs
- SOLO G2 allows up to 2 channels
- NEMA 4X Enclosure
- Key pad operation
- 0-100% bar graph display
- Diagnostics menu allowing the user to calibrate the indicator without the use of test weights

Multiple Ton Scales

For Weighing 3-6 Manifolded Ton Containers


Hydraulic Multi-Ton Scale Series 12D



FEATURES:

- Hydraulic requires no power source
- Simple to install, operate and maintain
- Intrinsically safe by design
- 2-part Epoxy finish
- Patented design uses single load cell
- Roller Trunnions for easy positioning of tank valves

Electronic Multi-Ton Scale Series DR



FEATURES:

- Safely and accurately track Chlorine usage and tank levels
- Warn of dangerous conditions
- Prevent system from running empty
- 4-20mA Remote monitoring reduces operation exposure to Chlorine
- Patented design uses single load cell to monitor up to six manifolded ton containers

Choice of Indicator




- Wizard 4000
Digital Indicator
- 4-20mA Output Signal
 - Up to 4 Channels



- SOLO G2
Digital Indicator
- 4-20mA Output Signal
 - 1 or 2 Channels

Day Tank Scale



FEATURES:

- No Power Required
- Prevents Systems from running empty
- Non-intrusive and non-contacting
- Excellent for documenting chemical uses
- Integrated tank restraint system
- Level alarms and 4-20mA signals Available

Hydraulic Day Tank Indicator



- Century Indicator
- Requires no power
 - Maintenance free

Electronic Day Tank Indicator Options



- SOLO G2
Digital Indicator
- 4-20mA Output
 - 1 or 2 Channels



- Wizard 4000
Digital Indicator
- 4-20mA Output
 - Up to 4 Channels

IBC Tote Scale



FEATURES:

- For portable tote bins, stackable tote bins and intermediate bulk containers up to 1000 gallons
- Heavy duty Tuf-Coate protected steel platform
- Adjustable backstop on the platform allows the tote to be rapidly placed in the same position each time for optimum accuracy.

Hydraulic IBC Tote Scale Indicator



- Century Indicator
- Requires no power
 - Maintenance free



- SOLO XT Indicator
- Battery Operated
 - No AC Power needed
 - 4-20mA Output

Electronic IBC Tote Scale Indicator Options



- SOLO G2
Digital Indicator
- 4-20mA Output
 - 1 or 2 Channels



- Wizard 4000
Digital Indicator
- 4-20mA Output
 - Up to 4 Channels

Drum Scale

Hydraulic or Electronic

FEATURES:

- Low-profile Corrosion Resistant Platform allows operators to load and unload drum packaged chemicals safely and easily
- Standard model accepts drums and carboys from 18" to 24" in diameter (approx. 30 to 55 gallon drums)



Hydraulic Drum Scale Indicator Options



- Century Indicator**
- Requires no power
 - Maintenance free



- SOLO XT Indicator**
- Battery Operated
 - No AC Power needed
 - 4-20mA Output

Electronic Drum Scale Indicator Options



- SOLO G2
Digital Indicator**
- 4-20mA Output
 - 1 or 2 Channels



- Wizard 4000
Digital Indicator**
- 4-20mA Output
 - Up to 4 Channels

Carboy Scale

Hydraulic or Electronic



FEATURES:

- Low-profile. Carboys roll on and off, without lifting
- Carboys from 8" to 24" diameter (5 to 50 gallons)
- 4-20mA Signal Standard on Electrical and available as an option on hydraulic systems
- Low Level alarms available
- Tuf-Coat environmental Armor protected platform

Hydraulic Carboy Scale Choice of Indicator



- Century Indicator**
- Requires no power
 - Maintenance free



- SOLO XT Indicator**
- Battery Operated
 - No AC Power needed
 - 4-20mA Output

Electronic Carboy Scale Choice of Indicator



- SOLO G2
Digital Indicator**
- 4-20mA Output
 - 1 or 2 Channels



- Wizard 4000
Digital Indicator**
- 4-20mA Output
 - Up to 4 Channels